







## Electrical Optical Characteristics at Ta=25°C

Parameter	Symbol	Color	Min.	Тур.	Max.	Unit	Test Condition
Radiant Intensity	Ie	Infrared	2.5	4.0	5.8	mW/sr	I <sub>F</sub> =20mA
Luminous Intensity	Iv	Red	200	275	415	mcd	I <sub>F</sub> =20mA
Viewing Angle	<b>2</b> 1/2			120		Deg.	(Note 2)
	p	Infrared	930	940	960	nm	I <sub>F</sub> =20mA
Peak Emission Wavelength		Red	650	660	665	nm	I <sub>F</sub> =20mA
Chapter I in a Half Width		Infrared		50		nm	I <sub>F</sub> =20mA
Spectral Line Half-Width		Red		20		nm	I <sub>F</sub> =20mA
E 137 k	$V_{\mathrm{F}}$	Infrared	1.1		1.5	V	I <sub>F</sub> =20mA
Forward Voltage		Red	1.9		2.3	V	I <sub>F</sub> =20mA
Reverse Current	$I_R$				10	μΑ	V <sub>R</sub> =5V

#### **Note:**


- 26 Luminous intensity is measured with a light sensor and filter combination that approximates the CIE eye-response curve. Tolerance of Luminous Intensity:  $\pm 15\%$ .
- 2. <sub>1/2</sub> is the off-axis angle at which the luminous intensity is half the axial luminous intensity.
- 3. The dominant wavelength, d is derived from the CIE chromaticity diagramm





# Typical Electrical / Optical Characteristics Curves for Red (25°C Ambient Temperature Unless Otherwise Noted)

Fig.1 Spectral Distrbution






Fig.5 Relative Radiant Intensity





Fig.6 Radiation Diagram



Part No. | SL-T3528IRURC020-L180 | Page | 6 of 9



## LIGHT ELECTRONICS CO., LTD.



## Label Explanation


#### LIGHT Universal Label



#### Customer Defined Label




## Reel Dimensions



**Note:** Tolerance unless mentioned is  $\pm 0.2$ mm; Unit = mm






- 1. Reflow soldering should not be done more than two times.
- 2. When soldering, do not put stress on the LEDs during heating.

## Soldering iron

- 1. When hand soldering, the temperature of the iron must less than 300°C for 3 seconds.
- 2. The hand solder should be done only once.

## Repairing

Renair should not be done after the LEDs have been soldered. When renairing is unavoidable a double-nead soldering iron should be used (as below figure). It should be confirmed be of the characteristics of LEDs will or will not be damaged by repairing.



Part No. SL-T3528IRURC020-L180 Page 9 of 9